

# Scotch-Weld<sup>™</sup> **Polyurethane Reactive** (PUR) Easy **Adhesive Systems**

Structural adhesive benefits with hot melt adhesive speed for wood, plastic and more.

3M<sup>™</sup> Scotch-Weld<sup>™</sup> Polyurethane Reactive Polyurethane Reactive (PUR) Easy (170°F)

3M<sup>™</sup> Scotch-Weld<sup>™</sup> (PUR) Easy 250 (250°)





3M and Scotch-Weld are trademarks of 3M. © 3M 2007

3M<sup>™</sup> Scotch-Weld<sup>™</sup> PUR Easy and PUR Easy 250 Systems include an easy to use, easy to maintain hand-held applicator that dispenses low viscosity, long open time, fast curing, polyurethane reactive adhesive. Unlike competitive systems, 3M Scotch-Weld PUR Easy and PUR Easy 250 Systems do not require purging materials!

Scotch-Weld PUR Adhesive Systems Requirements: Dry Air
 - Regulated from 40-80 PSI, 45 minute warm-up time and a 110
VAC electrical connection

3M<sup>™</sup> Scotch-Weld<sup>™</sup> Polyurethane Reactive (PUR) Easy 250 Adhesive Preheater has been designed with a dualtemperature switch. The upper switch portion is for high temperature (250°F) heating and the lower switch portion is for low temperature heating (170°F).

## 3M<sup>™</sup> Scotch-Weld<sup>™</sup> Polyurethane Reactive (PUR) Easy Adhesive Systems Comparison

<b>PUR</b> formerly Jet-Weld™	PUR Easy	PUR Easy 250
Specialty System Standard products continue to be available	Premium System Use depends on application need and lower temperature application for heat sensitive substrates	Premium System Easy to use and maintain with three wood focused and two plastic focused adhesive options
250°F Application Temp.	170°F Application Temp.	250°F Application Temp.
Metal Nozzle Assembly, Can be retrofitted w/new Easy 250 Nozzle Housing & Shroud	Disposable Plastic Nozzle Housing & Shroud	Disposable Plastic Nozzle Housing & Shroud, Can be retrofitted with Metal Nozzle Assembly
8 Cartridge Adhesives: TE015, TE030, TE031, TE040, TE100, TE200, TS2115HGS, TS230 • Bulk options available	4 Cartridge Adhesives: EZ17005, EZ17010, EZ17030, EZ17060 • Bulk options available	5 Cartridge Adhesives: EZ250015, EZ250030, EZ250060, EZ250120, EZ250120 • Bulk options available

3M, Jet-Weld and Scotch-Weld are trademarks of 3M. © 3M 2007

#### 3M<sup>™</sup> Scotch-Weld<sup>™</sup> Polyurethane Reactive (PUR) Easy 250 Adhesive Selection guide by substrate

Substrate	250015	250030	250060	250120	250150
Wood/ Hardwood					0
Aluminum	N/R	N/R	N/R	N/R	
Painted Metal	N/R	0	N/R	N/R	
Leather					
Nitrile Rubber	0		0	0	
Neoprene Rubber	N/R	N/R	N/R	N/R	0
SBR Rubber	N/R	0	N/R	N/R	0
Glass/Glazed Ceramic	N/R	N/R	N/R	N/R	
Felt/Cork					
PVC			0	N/R	
Beadboard					
Polycarbonate	0		0	0	
ABS			0	0	
Polystyrene	N/R		N/R	N/R	
N/R = Not Recommended $\blacktriangle$ = First Choice $\bigcirc$ = Second Choice					

Note: User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of application.

3M and Scotch-Weld are trademarks of 3M. © 3M 2007

#### Wood

250015 (similar to TE015)

- Set time 15 seconds
- Open time 1-1/2 minutes

250060 (similar to TE100)

- Set time 1 minute
- Open time 2 minutes

250120\* (similar to TE200)

- Set time 2 minutes
- Open time 4 minutes
- \* Thinnest glue line

## Plastic

250030 (similar to TE031)

- · Set time 30 seconds
- Open time 2 minutes

#### 250150\*\* (similar to TS230)

- Set time 2-1/2 minutes
- Open time 4 minutes

\*\*Only new product that bonds to glass & aluminum

Not suggested for Polyolefins i.e. Polyethylene or Polypropylene



Viscosity: Medium Set Time: 15 seconds Open Time: 1-1/2 minutes

## **Application Ideas**

- Miter joints
- · Corner blocks
- · Base blocks
- · Leg attachment
- · Stiles and rails

- · Excellent adhesion to most hardwoods
- Fast set time
- Thin glue line
- · Easy adhesive clean up
- · Contains UV indicator

#### Where to Sell:

 2511 Furniture – Household Drawer faces, patio furniture, chairs, cork protectors
 2121 Furniture – Office Tables, chairs, panel coverings, drawer faces
 2434 Woodworking—Cabinetry Kick plates, crown molding, wood roping, face frames, drawer faces
 2531 Woodworking - Windows, Doors, Glass, Other Millwork Window trim, baseboard trim, window sashes.

decorative beams, door base blocks



Viscosity: Medium Set Time: 1 minute Open Time: 2 minutes

## **Application Ideas**

- · Attaching decorative trim
- Attaching edge banding
- · Bonding and reinforcing MDF

- · Excellent bonds to most hardwood
- · Medium set time
- Thin glue lines
- · Easy adhesive clean up
- · Contains UV indicator

## Where to Sell:

 2511 Furniture – Household Tables, chairs, bed frames, leather and vinyl upholstery
 2121 Furniture – Office Wall partitions, tables, chairs, kick plates
 2531 Woodworking - Windows, Doors, Other Millwork Sash assembly
 2434 Woodworking – Cabinetry Miter corners, moldings, shelving, kick plates, face frames, cornices
 5031 Woodworking - Lumber, Plywood, Millwork Mechanical fastening replacement



Viscosity: Low Set Time: 2 minutes Open Time: 4 minutes

## **Application Ideas**

- Base frames
- · Door assembly
- · Decorative molding
- · Edge to end grain wood adhesion
- · Miter joints
- · Mortise and tenon assembly

- · Very thin bond line
- Medium to long set time
- · Excellent adhesion to hardwoods
- · Easy adhesive clean up
- Contains UV indicator

## Where to Sell:

- 2511 Furniture Household Tables, chairs, bed frames, leather and vinyl upholstery, outdoor furniture, counter edging
   2591 Woodworking & Furniture – Drapery, Hardware, Blinds, Shades Shade pulls, venetian blinds, cornices
   2121 Furniture – Office Wall partitions, tables, chairs, desks, counter edging
   2434 Woodworking – Cabinetry Bases, trims
   2531 Woodworking - Windows, Doors, Glass, Other Millwork
- 5031 Woodworking Lumber, Plywood, Millwork Plywood attachment, stair treads
- 3732 Marine Boat Building, Personal Watercraft Console components, decorative trims, upholstery, replica assembly

#### 3M<sup>™</sup> Scotch-Weld<sup>™</sup> Polyurethane Reactive (PUR) Easy 250 Adhesive EZ250030 (plastic)



Viscosity: Medium Set Time: 30 seconds Open Time: 2 minutes

### Application Ideas

- · Plastic shelving
- Jewelry displays
- Acrylic lettering
- · Awards assembly
- · General plastic bonding

- · Fast set time
- · Adhesion to many plastics
- · Easy adhesive clean up
- · Fast rate of strength build-up
- · Does not attack plastic surfaces

#### 3M<sup>™</sup> Scotch-Weld<sup>™</sup> Polyurethane Reactive (PUR) Easy 250 Adhesive EZ250030 (plastic)

## Where to Sell:



3M and Scotch-Weld are trademarks of 3M. © 3M 2007

#### 3M<sup>™</sup> Scotch-Weld<sup>™</sup> Polyurethane Reactive (PUR) Easy 250 Adhesive EZ250150 (plastic)



Viscosity: Medium Set Time: 2 minutes Open Time: 4 minutes

## **Application Ideas**

- · Plastic shelves and displays
- Plastic trim
- · Mirror and glass to wood/plastic
- · Solid surface applications
- · Leather bonding
- Attaching "T" molding

- · Medium to slow set time
- · Adhesion to many plastics, glass and aluminum
- · Easy adhesive clean up
- · Produces high strength, flexible bonds

#### 3M<sup>™</sup> Scotch-Weld<sup>™</sup> Polyurethane Reactive (PUR) Easy 250 Adhesive EZ250150 (plastic)

#### Where to Sell:

3089 Rubber & Plastic - Window, Door, Interior and Exterior Automotive

Mirrors, upholstery, dash and console, emblems, speakers, rubber insulation, window shutters

#### 2511 Furniture – Household

Leather and vinyl upholstery, outdoor furniture, face frames, planting containers, window boxes

#### 2121 Furniture – Office

Shelving, wall partitions, leather and vinyl upholstery, plaques and awards



Viscosity: Medium-High Set Time: 5 seconds Open Time: 45 seconds

## **Application Ideas**

- · Rosette attachment
- · Reinforcement and corner block attachment
- Trim attachment

- · Very fast set
- · Hot melt speed/structural strength
- · Excellent heat stability at application temperature
- · Low temperature application
- · Contains UV indicator

### Where to Sell:

- 2511 Furniture Household Tables, chairs, shelving
- 2121 Furniture Office Wall partitions, tables, chairs
- 2531 Woodworking Windows, Doors, Glass, Other Millwork Cornices, shutters
- 2434 Woodworking Cabinetry Doors, kick plates
- 5031 Woodworking Lumber, Plywood, Millwork Plywood, MDF



Viscosity: Medium Set Time: 10 seconds Open Time: 45 seconds

## **Application Ideas**

- · Attach plastic molding
- Mirror and glass attachment
- Decorative trim attachment

- · Low temperature application
- · Adhesion to plastics, glass and aluminum
- · High strength, flexible bond line
- Fast setting
- · Excellent heat stability at application temperature

#### Where to Sell:

- 2511 Furniture Household Drawer faces, chairs, cork protectors
- 2121 Furniture Office Tables, chairs, drawer faces, shelving
- 2434 Woodworking—Cabinetry Kick plates, crown molding, wood roping, face frames, drawer faces
- 2531 Woodworking Windows, Doors, Glass, Other Millwork

Window trim, baseboard trim, window sashes, decorative beams, door base blocks



Viscosity: Medium Set Time: 30 seconds Open Time: 1 minute

## **Application Ideas**

- · Drawer assembly
- · Roping molding attachment
- · Corner block attachment
- · Bonds and reinforces MDF

- Fast setting
- · Excellent heat stability at application temperature
- · Contains UV indicator
- · Low temperature application

### Where to Sell:

2511 Furniture – Household Chairs, tables, outdoor furniture, face frames, planting containers, window boxes 2121 Furniture – Office Shelving, wall partitions, leather and vinyl upholstery. plaques and awards 2531 Woodworking - Windows, Doors, Glass, Other Millwork Vinvl window sash to wood, shutters 2434 Woodworking – Cabinetry Decorative moldings 5031 Woodworking - Lumber, Plywood, Millwork Plywood, MDF 3089 Rubber and Plastic - Window, Door, Interior and Exterior Automotive Upholstery, dash and console, emblems, speakers, rubber insulation



Viscosity: Low Set Time: 1 minute Open Time: 2 minutes

## **Application Ideas**

- · Plastic trim attachment
- Mirror and glass attachment

- Thin glue lines
- Long set time
- · Low temperature application
- · High strength, flexible glue lines
- · Adhesion to plastics, glass, aluminum
- · Excellent heat stability at application temperature

### Where to Sell:

2511 Furniture – Household Chairs, tables, outdoor furniture, face frames, planting containers, window boxes 2121 Furniture – Office Shelving, wall partitions, leather and vinyl upholstery. plaques and awards 2531 Woodworking - Windows, Doors, Glass, Other Millwork Vinvl window sash components, shutters 2434 Woodworking – Cabinetry Decorative moldings 5031 Woodworking - Lumber, Plywood, Millwork Plywood, MDF 3089 Rubber and Plastic - Window, Door, Interior and Exterior Automotive Mirrors, upholstery, dash and console, emblems, speakers, rubber insulation

## **Additional Information**

Container Size	Linear Feet per Container	Cartridges per Container Estimated	Weight per Container	
1/10th Gallon	250	1	300 grams	
2 Kilogram	1650	6.6	4.4 lbs.	
5 Gallon Pail	13500	54	36 lbs.	
55 Gallon Drum	150,000	605	400 lbs.	
Bulk Products (2kg, 5 gal pail, 55 gal drum) are not stocked				

1 lb = 454 grams

#### Cost per Linear Foot in Cartridge vs. Bulk

Cost/lb. divided by 375 linear feet	=		t/linear foot of ″ semi-circular bead
Cost/cartridge divided by 250 linear feet	=	cost/linear foot of 1/8″ semi-circular bead	
Example:			
\$10.34/lb. x 36 pails		=	\$372.24
\$21.49/cartridge divided by 250 linear feet per cartridge		=	\$0.086 per linear foot
\$10.34/lb. divided by 375 linear feet/lb.		=	\$0.27 per linear foot

#### 3M<sup>™</sup> Scotch-Weld<sup>™</sup> Polyurethane Reactive (PUR) Easy Adhesive Selection guide by substrate

Substrate	17005	17010	17030	17060
Wood		О		О
Aluminum	N/R		N/R	
Painted Metal	N/R		N/R	
Leather	0	0	0	0
Nitrile Rubber	N/R	N/R		
Neoprene Rubber	N/R			0
SBR Rubber	N/R	О		
Glass/Glazed Ceramic	N/R		N/R	
Felt/Cork				
PVC	0			
Beadboard				
Polycarbonate				
ABS				
Polystyrene	N/R		0	
N/R = Not Recommended <b>▲</b> = First Choice O = Second Choice				

Note: User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of application.

3M and Scotch-Weld are trademarks of 3M. © 3M 2007



# Industrial Adhesives and Tapes Division

3M Center Bldg. 220-5W-06 St. Paul, MN 55144-1000 1-800-362-3550 www.3M.com/bonding 3M, Jet-Weld and Scotch-Weld are trademarks of 3M. Printed in U.S.A. © 3M 2007 78-9236-7143-8